



Regd. Office: Jain Plastic Park, N.H.No. 6, Bambhori, Jalgaon – 425 001. India.
Tel: +91-257-2258011; Fax: +91-257-2258111; E-mail: jisl@jains.com; Visit us at: www.jains.com
CIN: L29120MH1986PLC042028

JISL/SEC/2025/10/B-2/B-6

27th October, 2025

To,
BSE Ltd.,
Corporate Relationship Department,
1st Floor, New Trading Wing, Rotunda
Building, P. J. Tower, Dalal Street,
Mumbai - 400 001
Email: corp.relations@bseindia.com

To,
National Stock Exchange of India Ltd.,
Exchange Plaza, C-1, Block G,
Bandra Kurla Complex,
Bandra (East),
Mumbai - 400 051
Email : cc@nse.co.in

**Ref: Code No. 500219 (BSE) & JISLJALEQS (NSE) for Ordinary Equity shares
Code No. 570004 (BSE) & JISLDVREQS (NSE) for DVR Equity Shares**

**Sub: Notice of meeting of Board of Directors to be held on Thursday, 30th October, 2025
to consider Standalone and Consolidated Unaudited Financial Working Results for
Q2/H1 FY26 pursuant to Regulation 33 of SEBI (LODR), Regulations, 2015**

Dear Sir/Madam,

Please take notice that a meeting of the Board of Directors of the Company is scheduled to be held on **Thursday, 30th October, 2025**, to review, finalize, approve and recommend the Unaudited Standalone and Consolidated Financial Working Results for the quarter/half year ended on 30th September, 2025.

We shall send the Unaudited Standalone and Consolidated Financial Working Results and Limited Review Report for the quarter/ half year ended 30th September, 2025 to the Exchange(s) as soon as the Board approves the same on Thursday, 30th October, 2025.

A copy of internal circular for closure of trading window under SEBI (Prevention of Insider Trading) Regulations 2015 has already been submitted to Stock Exchanges on 26th September, 2025

Meeting of Audit Committee, Stakeholder's Relationship Committee and Risk Management Committee shall also be held to discuss various issues.

Please receive the above in order, take the same on record and acknowledge.

Thanking you,

Yours faithfully,
For Jain Irrigation Systems Ltd.

A.V. Ghodgaonkar
Company Secretary